

<p style="text-align: center;"><b>MONSANTO Europe S.A.</b> Safety Data Sheet Commercial Product</p>
---

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name**

**Monsanto Amenity Glyphosate 360**

**CLP Annex VI Index No.**

Not applicable.

**C&L ID No.**

Not available.

**EC No.**

Not applicable.

**REACH Reg. No.**

Not applicable.

**CAS No.**

Not applicable.

**Product use**

Herbicide

**Chemical name**

Not applicable.

**Synonyms**

None.

**Company/(Sales office)**

MONSANTO Europe S.A.  
Haven 627, Scheldelaan 460, B-2040  
Antwerp, Belgium

**Telephone:** +32 (0)3 568 51 11

**Fax:** +32 (0)3 568 50 90

**E-mail:**

safety.datasheet@monsanto.com

**Emergency numbers**

**Telephone:** Belgium +32 (0)3 568 51 23

---

## 2. HAZARDS IDENTIFICATION

**This mixture has not yet been classified according to Regulation (EC) No. 1272/2008**

**EU label (manufacturer self-classification)** - Classification/Labeling following the EU Dangerous Preparations' Directive 1999/45/EC.

Xi - Irritant, N - Dangerous for the environment

R36 Irritating to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S35 This material and its container must be disposed of in a safe way.

S39 Wear eye/face protection.

S57 Use appropriate containment to avoid environmental contamination.

**National classification/labelling** - U.K.

Xn - Harmful, N - Dangerous for the environment

R20 Harmful by inhalation.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.  
S35 This material and its container must be disposed of in a safe way.  
S39 Wear eye/face protection.  
S57 Use appropriate containment to avoid environmental contamination.

### **Potential health effects**

#### **Likely routes of exposure**

Skin contact, eye contact

#### **Eye contact, short term**

May cause temporary eye irritation.

#### **Skin contact, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

#### **Inhalation, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

### **Potential environmental effects**

Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

Not a persistent, bioaccumulative or toxic (PBT) nor a very persistent, very bioaccumulative (vPvB) mixture.

Refer to section 11 for toxicological and section 12 for environmental information.

---

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### **Active ingredient**

Isopropylamine salt of N-(phosphonomethyl)glycine; {Isopropylamine salt of glyphosate}

### **Composition**

Components	CAS No.	EC No.	EU Index No. / REACH Reg. No. / C&L ID No.	% by weight (approximate)	Classification
Isopropylamine salt of glyphosate	38641-94-0	933-426-9	015-184-00-8 / - / 02-2119693876-15- 0000	41.5	Aquatic Chronic - Category 2; H411; { c } N; R51/53; { b }
Ethoxylated tallowamine	61791-26-2	500-153-8	- / - / -	15.5	Xn, N; R22, 41, 51/53; { a }
Water	7732-18-5	231-791-2	- / - / -	43	

The specific chemical identity is being withheld because it is trade secret information of Monsanto Company.

Full text of classification code: See section 16.

---

## **4. FIRST AID MEASURES**

Use personal protection recommended in section 8.

### **Eye contact**

Immediately flush with plenty of water.

Continue for at least 15 minutes.

If easy to do, remove contact lenses.

If there are persistent symptoms, obtain medical advice.

### **Skin contact**

Take off contaminated clothing, wristwatch, jewellery.

Wash affected skin with plenty of water.

Wash clothes and clean shoes before re-use.

### **Inhalation**

Remove to fresh air.

#### **Ingestion**

Immediately offer water to drink.  
Never give anything by mouth to an unconscious person.  
Do NOT induce vomiting unless directed by medical personnel.  
If symptoms occur, get medical attention.

#### **Advice to doctors**

This product is not an inhibitor of cholinesterase.

#### **Antidote**

Treatment with atropine and oximes is not indicated.

---

## **5. FIRE-FIGHTING MEASURES**

#### **Flash point**

Does not flash.

#### **Extinguishing media**

Recommended: Water, foam, dry chemical, carbon dioxide (CO<sub>2</sub>)

#### **Unusual fire and explosion hazards**

Minimise use of water to prevent environmental contamination.  
Environmental precautions: see section 6.

#### **Hazardous products of combustion**

Carbon monoxide (CO), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>), nitrogen oxides (NO<sub>x</sub>)

#### **Fire fighting equipment**

Self-contained breathing apparatus.  
Equipment should be thoroughly decontaminated after use.

---

## **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal precautions**

Keep all non-essential people away from affected area.  
Use personal protection recommended in section 8.  
Warn everybody of irritant/corrosive hazard.

#### **Environmental precautions**

Minimise spread.  
Keep out of drains, sewers, ditches and water ways.  
Notify authorities.

#### **Methods for cleaning up**

Absorb in earth, sand or absorbent material.  
Dig up heavily contaminated soil.  
Collect in containers for disposal.  
Refer to section 7 for types of containers.  
Minimise use of water to prevent environmental contamination.  
Do NOT flush away with water.

Refer to section 13 for disposal of spilled material.  
Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

## **7. HANDLING AND STORAGE**

Good industrial practice in housekeeping and personal hygiene should be followed.

### Handling

Avoid contact with eyes.  
When using do not eat, drink or smoke.  
Wash hands thoroughly after handling or contact.  
Thoroughly clean equipment after use.  
Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.  
Emptied containers retain vapour and product residue.  
FOLLOW LABELLED WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

### Storage

Minimum storage temperature: -15 °C  
Maximum storage temperature: 50 °C  
Compatible materials for storage: stainless steel, fibreglass, plastic, glass lining  
Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.  
Keep out of reach of children.  
Keep away from food, drink and animal feed.  
Keep only in the original container.  
Partial crystallization may occur on prolonged storage below the minimum storage temperature.  
If frozen, place in warm room and shake frequently to put back into solution.  
Minimum shelf life: 5 years.  
Use appropriate containment to avoid environmental contamination.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Airborne exposure limits

Components	Exposure Guidelines
Isopropylamine salt of glyphosate	No specific occupational exposure limit has been established.
Ethoxylated tallowamine	No specific occupational exposure limit has been established.
Water	No specific occupational exposure limit has been established.

### Engineering controls

Have eye wash facilities immediately available at locations where eye contact can occur.

### Eye protection

If there is potential for contact:  
Wear chemical goggles.

### Skin protection

If repeated or prolonged contact:  
Wear chemical resistant gloves.  
Chemical resistant gloves include those made of waterproof materials such as nitrile, butyl, neoprene, polyvinyl chloride (PVC), natural rubber and/or barrier laminate.

### Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Pale amber - Pale brown
Odour:	Slight, amines

Form:	Liquid
Physical form changes (melting, boiling, etc.):	
Melting point:	Not applicable.
Boiling point:	No data.
Flash point:	Does not flash.
Explosive properties:	No explosive properties
Auto ignition temperature:	443 °C
Specific gravity:	1.172 @ 20 °C / 4 °C
Vapour pressure:	No significant volatility; aqueous solution.
Vapour density:	Not applicable.
Evaporation rate:	No data.
Dynamic viscosity:	73.2 mPa·s
Kinematic viscosity:	62.47 cSt @ 20 °C
Density:	1.172 g/cm <sup>3</sup> @ 20 °C
Solubility:	Water: Completely miscible.
pH:	4.4 - 4.9 @ 80 g/l
	5.1 @ 10 g/l
Partition coefficient:	log Pow: < -3.2 @ 25 °C (glyphosate)

## 10. STABILITY AND REACTIVITY

### Stability

Stable under normal conditions of handling and storage.

### Oxidizing properties

No data.

### Materials to avoid/Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

### Hazardous decomposition

Thermal decomposition: Hazardous products of combustion: see section 5.

### Self-accelerating decomposition temperature (SADT)

No data.

## 11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Data obtained on product and components are summarized below.

### Acute oral toxicity

**Rat, LD50:** 5,000 mg/kg body weight

### Acute dermal toxicity

**Rabbit, LD50 (limit test):** > 5,000 mg/kg body weight

No mortality.

### Acute inhalation toxicity

**Rat, LC50 (limit test), 4 hours, aerosol:** 3.18 mg/L

Aerosol particle size (< 10 micron) much lower than the droplet size (> 100 micron) normally achieved during spraying operations. This product is not aerosolized during handling or use and is therefore not classified as hazardous under the Dangerous Preparation Directive 1999/45/EC

### Skin irritation

**Rabbit, 6 animals, OECD 404 test:**

Redness, mean EU score: 0.64

Swelling, mean EU score: 0.03

Days to heal: 3

### Eye irritation

#### **Rabbit, 6 animals, OECD 405 test:**

- Conjunctival redness, mean EU score: 1.17
- Conjunctival swelling, mean EU score: 1.60
- Corneal opacity, mean EU score: 0.57
- Iris lesions, mean EU score: 0.50
- Days to heal: > 28
- Other effects: pannus, ulcer on surface of eye (ulceration of cornea)

### Skin sensitization

#### **Guinea pig, 9-induction Buehler test:**

- Positive incidence: 0 %

## **EXPERIENCE WITH HUMAN EXPOSURE**

### Ingestion, excessive, intentional misuse:

- Respiratory effects:** pneumonitis (aspiration)
- Gastro-intestinal effects:** nausea/vomiting, diarrhoea, abdominal pain, bloody vomiting (haematemesis)
- Cardiovascular effects:** abnormal heart rhythm (cardiac dysrhythmia), decreased heart output (myocardial depression)
- General/systemic effects:** disturbances of fluid and electrolyte regulation, abnormally decreased blood volume (hypovolaemia), elevated serum amylase, fluid loss (haemoconcentration), no cholinesterase inhibition
- Laboratory effects - blood chemistry:** elevated serum transaminases, mild acidosis

### Eye contact, short term, epidemiological:

- Note:** No cases of irreversible eye effects could be attributed to glyphosate formulations in an extensive epidemiological survey of reported accidental eye contact with these formulations.

## **N-(phosphonomethyl)glycine: { glyphosate}**

### Mutagenicity

#### **In vitro and in vivo mutagenicity test(s):**

- Not mutagenic.

### Repeated dose toxicity

#### **Rabbit, dermal, 21 days:**

- NOAEL toxicity: > 5,000 mg/kg body weight/day
- Target organs/systems: none
- Other effects: none

#### **Rat, oral, 3 months:**

- NOAEL toxicity: > 20,000 mg/kg diet
- Target organs/systems: none
- Other effects: none

### Chronic effects/carcinogenicity

#### **Mouse, oral, 24 months:**

- NOAEL toxicity: ~ 5,000 mg/kg diet
- Target organs/systems: liver
- Other effects: decrease of body weight gain, histopathologic effects
- NOEL tumour: > 30,000 mg/kg diet
- Tumours: none

#### **Rat, oral, 24 months:**

- NOAEL toxicity: ~ 8,000 mg/kg diet
- Target organs/systems: eyes
- Other effects: decrease of body weight gain, histopathologic effects
- NOEL tumour: > 20,000 mg/kg diet
- Tumours: none

### Toxicity to reproduction/fertility

#### **Rat, oral, 2 generations:**

- NOAEL toxicity: 10,000 mg/kg diet
- NOAEL reproduction: > 30,000 mg/kg diet
- Target organs/systems in parents: none
- Other effects in parents: decrease of body weight gain
- Target organs/systems in pups: none
- Other effects in pups: decrease of body weight gain

Effects on offspring only observed with maternal toxicity.

#### **Developmental toxicity/teratogenicity**

##### **Rat, oral, 6 - 19 days of gestation:**

NOAEL toxicity: 1,000 mg/kg body weight

NOAEL development: 1,000 mg/kg body weight

Other effects in mother animal: decrease of body weight gain, decrease of survival

Developmental effects: weight loss, post-implantation loss, delayed ossification

Effects on offspring only observed with maternal toxicity.

##### **Rabbit, oral, 6 - 27 days of gestation:**

NOAEL toxicity: 175 mg/kg body weight

NOAEL development: 175 mg/kg body weight

Target organs/systems in mother animal: none

Other effects in mother animal: decrease of survival

Developmental effects: none

---

## **12. ECOLOGICAL INFORMATION**

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on product and components are summarized below.

#### **Aquatic toxicity, fish**

##### **Bluegill sunfish (*Lepomis macrochirus*):**

Acute toxicity, 96 hours, flowthrough, LC50: 5.8 mg/L

##### **Rainbow trout (*Oncorhynchus mykiss*):**

Acute toxicity, 96 hours, flowthrough, LC50: 8.2 mg/L

#### **Aquatic toxicity, invertebrates**

##### **Water flea (*Daphnia magna*):**

Acute toxicity, 48 hours, static, EC50: 11 mg/L

#### **Aquatic toxicity, algae/aquatic plants**

##### **Green algae (*Selenastrum capricornutum*):**

Acute toxicity, 72 hours, static, ErC50 (growth rate): 8.0 mg/L

##### **Duckweed (*Lemna minor*):**

Acute toxicity, 7 days, static, EC50 (frond number): 6 mg/L

#### **Avian toxicity**

##### **Bobwhite quail (*Colinus virginianus*):**

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet

##### **Mallard duck (*Anas platyrhynchos*):**

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet

#### **Arthropod toxicity**

##### **Honey bee (*Apis mellifera*):**

Oral, 48 hours, LD50: > 395 µg/bee

##### **Honey bee (*Apis mellifera*):**

Contact, 48 hours, LD50: > 338 µg/bee

#### **Soil organism toxicity, invertebrates**

##### **Earthworm (*Eisenia foetida*):**

Acute toxicity, 14 days, LC50: > 5,000 mg/kg dry soil

#### **Soil organism toxicity, microorganisms**

##### **Nitrogen transformation test:**

24.45 kg/ha, 28 days: No effect on nitrogen transformation. No effect on soil microorganisms.

#### **N-(phosphonomethyl)glycine; { glyphosate }**

#### **Bioaccumulation**

##### **Bluegill sunfish (*Lepomis macrochirus*):**

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

#### **Dissipation**

##### **Soil, field:**

Half life: 2 - 174 days

Koc: 884 - 60,000 L/kg

Adsorbs strongly to soil.

**Water, aerobic:**

Half life: < 7 days

**Ethoxylated tallowamine**

**Dissipation**

**Water/sediment, aerobic, 30 °C:**

Half life: < 4 weeks

**Soil, aerobic:**

Half life: 1 - 7 days

---

## 13. DISPOSAL CONSIDERATIONS

### Product

- Recycle if appropriate facilities/equipment available.
- Burn in special, controlled high temperature incinerator.
- Dispose of as hazardous industrial waste.
- Keep out of drains, sewers, ditches and water ways.
- Follow all local/regional/national/international regulations.

### Container

- Triple or pressure rinse empty containers.
- Pour rinse water into spray tank.
- Store for collection by approved waste disposal service.
- Dispose of as non hazardous industrial waste.
- Do NOT re-use containers.
- Follow all local/regional/national/international regulations.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

## 14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

### ADR/RID

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. , (glyphosate, ethoxylated tallowamine)  
UN No.: UN3082  
Class: 9  
Kemler: 90  
Packing Group: III

### IMO

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. , (glyphosate, ethoxylated tallowamine)  
UN No.: UN3082  
Class: 9  
Packing Group: III

MARINE POLLUTANT

### IATA/ICAO

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. , (glyphosate, ethoxylated tallowamine)  
UN No.: UN3082  
Class: 9  
Packing Group: III

MARINE POLLUTANT

## 15. REGULATORY INFORMATION

### Chemical Safety Assessment

A Chemical Safety Assessment per Regulation (EC) No. 1907/2006 is not required and has not been performed.

A Risk Assessment has been performed under Directive 91/414/EC.

## 16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.

In this document the British spelling was applied.

® Registered trademark.

|| Significant changes versus previous edition.

This Safety Data Sheet has been prepared following the Regulation (EC) No. 1907/2006 (Annex II) as last amended by Regulation (EC) No. 453/2010

### Classification of components

Components	Classification
Isopropylamine salt of glyphosate	Aquatic Chronic - Category 2 H411 Toxic to aquatic life with long lasting effects. N - Dangerous for the environment R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Ethoxylated tallowamine	Xn - Harmful N - Dangerous for the environment R22 Harmful if swallowed. R41 Risk of serious damage to eyes. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Water	

### Endnotes:

- { a} EU label (manufacturer self-classification)
- { b} EU label (Annex I)
- { c} EU CLP classification (Annex VI)
- { d} EU CLP (manufacturer self-classification)

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.

## Safety Data Sheet (SDS) Annex

Chemical Safety Report:

Read and follow label instructions.

00000018377

End of document

---