

Environmental Information Sheet

ROUNDUP ENERGY MAPP 12945



A soluble concentrate containing 450 g/l glyphosate present as 550 g/l (42.2% w/w) of the potassium salt of glyphosate used a foliar application for the non-selective control of annual and perennial weeds before sowing or planting of all crops and the destruction of grassland and weed control in stubbles and orchards. Also for use pre-harvest in cereals and certain other crops.

Maximum application rates vary per weed and situation. Refer to the label for details.
Maximum no. of applications per situation per season: 1

| Section | Profile |
|---|--|
| <p>1. WILDLIFE</p> <p>Mammals</p> <p>Birds</p> | <p>Roundup Energy is not classified as '<i>Harmful to game or wildlife</i>'</p> <p>Roundup Energy shows low toxicity to mammals. It poses negligible risk for species that feed on recently treated vegetation (e.g. hares, rabbits, deer) or consume earthworms in treated fields (e.g. shrews, voles). There is no long-term exposure to this herbicide as treated weeds are controlled and are thus no longer present as potential food sources.</p> <p>Roundup Energy is of low toxicity to birds. There is negligible risk to geese and other birds that could feed on recently treated vegetation. There is also negligible risk for species nesting in and around treated fields or consuming insects and earthworms from treated areas</p> |
| <p>2. BEES</p> | <p>Roundup Energy is of low toxicity to honeybees; there is no requirement to avoid application of the product when bees are foraging on flowering weeds.</p> |
| <p>3. NON TARGET INSECTS AND OTHER ARTHROPODS</p> | <p>At typical use rates, Roundup Energy is of low risk to most species commonly found in and around treated fields, including carabid beetles and ground spiders. In areas where the herbicide is applied, the loss of vegetation will lead to habitat changes and may thereby temporarily affect arthropod populations. The arthropods will however rapidly return as vegetation re-grows.</p> |
| <p>4. AQUATIC LIFE</p> | <p>Based on effects on green algae, Roundup Energy is classified as '<i>Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment</i>' but does not require a buffer zone.</p> <p>As part of a weed management programme, there is low risk for aquatic life from spray drift.</p> <p>Care should be taken to ensure that surface water or ditches are not contaminated with the chemical or used containers.</p> |

Environmental Information Sheet

ROUNDUP ENERGY MAPP 12945



| Section | Profile |
|---|--|
| <p>5. SOIL and GROUNDWATER</p> <p>Earthworms</p> <p>Soil Micro-organisms</p> | <p>Roundup Energy is rapidly and extensively degraded in soil by indigenous soil micro flora, under both aerobic and anaerobic conditions. The degradation of Roundup Energy is dependent on soil type and temperature but is independent of the initial herbicide concentration. Roundup Energy does not accumulate in soil after several applications within one season or over the years.</p> <p>Roundup Energy is strongly adsorbed to soil and possesses very little potential for leaching. There is a negligible risk of groundwater contamination by Roundup Energy due to the high adsorption, low mobility and rapid biodegradation in soil.</p> <p>Roundup Energy is of low toxicity to earthworms and will pose a negligible risk to earthworm populations in or around treated fields.</p> <p>Roundup Energy has no adverse effects on soil micro flora and therefore poses negligible risk to the processes of nutrient recycling in soil.</p> |
| <p>6. NON-TARGET PLANTS</p> | <p>To avoid unintentional effects on the vegetation of non-target areas (e.g. field boundaries, conservation headlands, beetle banks), care should always be taken to minimise drift. The use of low drift application equipment and unsprayed strips is recommended.</p> |

USE HERBICIDES SAFELY:

ALWAYS READ THE LABEL AND OTHER PRODUCT INFORMATION BEFORE USE

Care must be taken to minimise the risk of surface water contamination from farmyard and field sources.

For further information about the environmental profile of this product contact:-

Monsanto UK Ltd
PO Box 663
Cambourne
Cambridge
CB1 0LD

Technical helpline: 01954 717575

E-mail: technical.helpline@monsanto.com

This Environmental Information Sheet was prepared in accordance with CPA Guidance Notes Version 4.

© copyright of Monsanto UK Ltd.

Roundup® is a registered trademark of Monsanto Technology LLC

EIS Version 4.0

[2011]